


Drug and Alcohol Misuse among Young Offenders on Probation Supervision in Ireland


Findings from the Drugs and Alcohol Survey 2012



Young Persons Probation

- Division of the Probation service
- Work with Young People
- Pro Social modelling
- Personal Development
- Family Support
- Restorative practice





The Probation Service

Objective

- To establish:
 - Number drugs and/or alcohol misusers amongst young offenders on supervision
 - Nature and frequency of their misuse
 - Context of their misuse
 - Link between drug and/or alcohol misuse and offending
 - Engagement with drug and alcohol treatment services


The study population

- Survey date 3rd December 2012,
- Aged 20 years or less on survey date and subject to supervision
- Anticipated population 808 (from CTS)
- Returns received 721 (647 M and 74 F)
 a high rate of return (88%)
- Any misuse rate 87% of the 721

Methodology

- Misuse: -
 - illegal, prohibited or harmful to oneself or others
- Questionnaire completed for anyone meeting the study criteria – full population study
- Questionnaires completed by the supervising probation officer based on
 - knowledge of the offender and
 - case file information.

Overall Misuse Patterns of Offenders



Drug and alcohol misuse

Alcohol misuse only

Drugs misuse only63%


III No misuse

An tSeirbhís Phromhaidh The Probation Service

Male and Female Misuse

	Both Drugs and Alcohol	Drugs only	Alcohol Only	Total
Males	63%	14%	12%	89%
Females	57%	1%	16%	74%

Alcohol & Drug Misuse by Region



An tSeirbhís Phromhaidh The Probation Service

Alcohol Misuse Only by Geographical Region

Region	Total Offender Population	Total Offender Population Misused Alcohol Only	Misusers as a % of Total Region Population
Dublin North and North East	186	18	9.7%
Dublin South and Wicklow	132	5	3.8%
Midlands and South East	130	16	12.3%
South West	195	34	17.4%
West - North West and Westmeath	78	14	17.9%
Total (ALL)	721	87	12.1%

Drug Misuse Only by Geographical Region

Region	Total Offender Population	Total Offender Population Misused Drugs Only	Misusers as a % of Total Region Population
Dublin North and North East	186	38	20.4%
Dublin South and Wicklow	132	18	13.6%
Midlands and South East	130	15	11.5%
South West	195	12	6.2%
West -North West and Westmeath	78	8	10.3%
Total (ALL)	721	91	12.6%


Combined Drug and Alcohol Misuse by Region

Region	Total Offender Population	Total Offender Population Misused Drugs and Alcohol	Misusers as a % of Total Region Population
Dublin North and North East	186	109	58.6%
Dublin South and Wicklow	132	91	68.9%
Midlands and South East	130	84	64.6%
South West	195	121	62.1%
West -North West and Westmeath	78	45	57.7%
Total (ALL)	721	450	62.4%


Age of First Substance Misuse

Age	Males	%	Females	%
8	2	0.4%	0	0.0%
9	2	0.4%	1	1.9%
10	17	3.3%	0	0.0%
11	12	2.3%	1	1.9%
12	76	14.7%	9	16.7%
13	110	21.3%	9	16.7%
14	144	27.9%	15	27.8%
15	105	20.3%	7	13.0%
16	37	7.2%	4	7.4%
17	8	1.5%	1	1.9%
18	3	0.6%	2	3.7%
Unknown	1	0.2%	5	9.3%
Total	517	100.0%	54	100.0%


First Substance Misused Categorised by Age Group



Circumstances of first Use



Parental Substance Misuse



Substance Linked To Current Offence Male and Female

	n	Male	n	Female
		IVIAIC		T CHILATE
Alcohol only	202	43.8%	29	61.7%
Both Alcohol and drugs	84	18.2%	9	19.1%
Drugs only	75	16.3%	4	8.5%
Misused prescribed				
drugs	35	7.6%	1	2.1%
Cannabis	34	7.4%	2	4.3%

Treatment

- About half had attended some form of treatment,
 ✓ higher for males (53.8%) than females (47.3%)
- Counselling was the most widely accessed treatment (86.2%)
- Most offenders attended two forms of treatment
- Midlands and South East
 - ✓ Highest level of treatment attendance, (61.7%)
- Dublin South and Wicklow
 - ✓ Lowest level of treatment attendance (39.5%)
- More than two thirds (70%) of treatment attenders were in the older age category

Summary of Findings

- 90% approx.. had misused one or other substance
- 60% approx.. had misused both substances
- Dublin North had the highest rate of drug misuse
- Western regions had highest alcohol misuse
- Overall similar pattern for males and females, but differences in the breakdown by substance
- Most started using between 12 and 15 years
- Most started misusing with peers
- Alcohol is the most commonly misused substance

And after the Research......


Life Skills to reduce harm

Significant influences


Interventions/Treatment

Interagency Co-operation

Voice of the Young Person



Thank you for your interest



Ursula Fernee Regional Manager

ugfernee@probation.ie

